### 1.888.442.9577 | www.energuy.com



## Upgrade Requirements: Contact Energuy for your energy assessment and <mark>register your home</mark>



- Maximum Rebate (total): \$5,600 Rebate \$5,000 | Audit Reimbursement \$600
- 1 application per home | \$5,000 max lifetime

Eligible: detached, semi-detached, row, and mobile homes on permanent foundation

Attic Insulation: Prorated based on minimum of 20% completed.

Not Eligible: rental properties, rental equipment, and secondary homes



\$1,800.

# MEASURES REBATE COMMENTS

The total grant for any combination of attic, cathedral ceiling and flat roof insu	lation cannot exceed S	

Increase insulation to at least R50 from R12 or Less	\$ <b>1,800</b>	Minimum 20% area required to be insulated
Increase attic insulation to at least R50 from R13 to R25	\$ <b>600</b>	Minimum 20% area required to be insulated
Increase attic insulation to at least R50 from R26 to R35	\$ <b>250</b>	Minimum 20% area required to be insulated

#### Cathedral Or Flat Roof Insulation: Prorated based on 20% minimum completed and if more than one attic exists.

Increase insulation to at least R20 from R12 or Less	\$ <b>600</b>	Existing R13 or higher insulation no incentive
Increase insulation to at least R28 from R12 or Less	\$ <b>600</b>	
Increase insulation to at least R28 from R13 or R25	\$ <b>250</b>	

**Exterior Wall Insulation:** Prorated based on minimum of 20% completed. Semi and Row homes are prorated.

Add at least R7.5 to R12 to <b>20%</b>	\$ <b>660</b>	Minimum 20% wall area required
Add at least R7.5 to R12 to 100%	\$ <b>3,300</b>	
Add at least R13 to R20 to 20%	\$760	Minimum 20% wall area required
Add at least R13 to R20 to 100%	\$ <b>3,800</b>	
Add at least R20 & above to 20%	\$1,000	Minimum 20% wall area required
Add at least R20 & above to 100%	\$ <b>5,000</b>	

\$**350** 

#### Exposed Floor Insulation: Minimum 11 Square Meters or 120 Square feet - Overhangs or Floors above Garage.

Add at least R20 to 100%
--------------------------

All Foundations: When both a basement and crawlspace are present, all applicable grants are pro-rated to a maximum of \$1,5 based on the total wall area and the additional insulation measures.			
	Bacament Header Add at least P20 to <b>90%</b> (Detached)	\$240	Ormai Data da al <b>6100</b> and David Hamas <b>6100</b>

Basement Header Add at least R20 to <b>80%</b> (Detached)	\$ <b>240</b>	Semi Detached <b>\$180</b> and Row Homes <b>\$120</b>
Basement Slab Add at least R3.5 to 50% of entire slab	\$ <b>400</b>	

#### **Basement Wall:** Prorated based on minimum of 20% completed - Semi and Row homes are prorated.

Add at least R10 to R22 to <b>20%</b>	\$ <b>210</b>	Minimum 20% area required to be insulated	
Add at least R10 to R22 to 100%	\$1,050		
Add greater than R22 to <b>20%</b>	\$ <b>300</b>	Minimum 20% area required to be insulated	
Add greater than R22 to 100%	\$1, <b>500</b>		
Crawlspace: Incentives are based on insulating either the crawlspace wall or crawlspace ceiling.			
Crawlspace Wall - Add at least R10 to R22 to 100%	\$ <b>1,040</b>	Semi and Row homes are Prorated	
Crawlspace Wall - Add at least R23 or greater to 100%	\$1,300	Semi and Row homes are Prorated	

Crawlspace Ceiling - Add greater than R24 and above to **100%** \$800



Air Sealing: Perform professional air sealing to improve the air-tightness of your home.			
Meet target in your report	\$ <b>550</b>		
Meet 10% ABOVE target in your report	\$ <b>810</b>	Target is based on the size and draftiness of the home. Receipts for air sealing are mandatory.	
Meet 20% ABOVE target in your report	\$1 <b>,000</b>		
Window/Sliding Glass Door: Frame to Frame and Brick to Brick Windows and doors must be purcha	installs are allow sed through Can	ed. Based on per rough opening. adian distributor, must keep ENERGY STAR® Stickers	
<b>Replace Window/Sliding Door</b> : U-Factor of 1.22 W/m²K or less or Energy Rating ≥ 34	\$1 <b>25</b>	Must be Energy Star®: Must be on NRCan Approved List	
<b>Replace Window/Sliding Door</b> : U-Factor of 1.05 W/m <sup>2</sup> K or less or Energy Rating $\ge$ 40	\$ <b>250</b>	Must be Energy Star®: Must be on NRCan Approved List	
<b>Replace Hinged Doors</b> : U-Factor of 1.22 W/m²K or less or Energy Rating ≥ 34	\$125	Must be Energy Star®: Must be on NRCan Approved List	
Ground Source Heat Pump:			
Install a ground Source Heat Pump: full system (geothermal)	\$ <b>5,000</b>	Heat pump must be listed on NRCan Eligible List	
Replace a ground Source Heat Pump unit: <b>pump</b>	\$ <b>3,000</b>	Heat pump must be listed on NRCan Eligible List	
Air Source Heat Pump: Heat pump must be listed on NRCan Elig Furnace or Air Handler must be matching		ntended to service the entire home.	
Install a complete ENERGY STAR® certified new or replacement air source heat pump (ASHP) system or a variable capacity cold climate air source heat pump. Note: In case of central split ducted and single package systems, if part of the ENERGY STAR® certified system, the furnace or air handler must always be the specified matching unit.	\$ <b>2,500</b>	<b>Two indoor heads ductless unit:</b> Minimum total rated heating capacity at 8.3 C of 3.52kW (12,000 Btu/h) HSPF (AHRI Climate Region Zone IV) ≥ 10	
Install or Replace a complete ENERGY STAR® certified new air source heat pump (ASHP) system, intended to service the entire home.	\$4,000	Three indoor heads ductless unit or central System: Minimum total rated heating capacity at 8.3 C of 3.52kW (12,000 Btu/h) HSPF (AHRI Climate Region Zone IV) ≥ 10	
<ul> <li>Cold Climate Heat Pumps (CCHP): Install or replace a complete ENERGY STAR® certified or variable capacity cold climate air source heat pump (ccASHP) system, intended to service the entire home.</li> <li>Compressor must be variable capacity with three or more distinct operating speeds, or continuously variable speed.</li> <li>Minimum total retained besting capacity of 8.2 C of 2.52kW.</li> </ul>	\$5,000	<ul> <li>Minimum three indoor heads for ductless or central system: COP of ≥ 1.8 at -15 C (5F) at maximum capacity operation;</li> <li>Capacity Maintenance (Max -15 C (5 F)/Rated 8.3 C (47 F)) ≥ 70%;</li> <li>HSPF (AHRI Climate Region Zone IV) ≥ 10</li> </ul>	
<ul> <li>Minimum total rated heating capacity at 8.3 C of 3.52kW (12,000 BTU/h).</li> </ul>		、 <u>,</u>	
Water Heater Heat Pump:			
Replace your domestic water heater with an ENERGY STAR® certified domestic hot water heat pump (DHW-HP)	\$1,000	Heat pump must be listed on NRCan Eligible List	
Solar Panel (Solar Photovoltaic System):			
Install solar panels ≥ 1.0 kW The system must include photovoltaic (PV) panel and inverter certified to CSA Standards	\$1,000/kW	All equipment must be purchased in Canada. Online purchases are only eligible if they are ordered from an online distributor in Canada.	
Resiliency Measures: Must be combined with another upgrade on this list.			
Batteries connected to Photovoltaic systems	\$1,000	To provide standby power for the home	
Roofing Membrane	\$150	Self-adhering roofing underlayment applied to entire roof	
Foundation water-proofing	\$ <b>875</b>		
Moisture proofing crawl space floor, walls and headers (100%)	\$ <b>600</b>		
Smart Thermostat: Deplace a manual thermostat with a program		adaptive thermostat	

**Smart Thermostat:** Replace a manual thermostat with a programmable or smart / adaptive thermostat.

Must be combined with another upgrade on this list.

```
Replace manual thermostat
```

Online purchases are only eligible if they are ordered from an online distributor in Canada. Not eligible with new Heat Pump installations.